



## Model 5412-01 Audio Interface Example Images

The screenshot shows a web interface for the Model 5412-01 Audio Interface. At the top left is a logo consisting of four green diagonal lines. The main title is "Model 5412-01 Audio Interface" in green. To the right, the device ID "ST-M5412-14b4ce" is displayed above an "Identify Device" button. A navigation menu below the title includes "Home" (highlighted), "Analog Inputs", "Analog Outputs", "Network", "Access", and "System", with a "Log Out" button on the far right. The "Dante Information" section lists: Primary IP Address (192.168.1.142), Secondary IP Address (Disabled), and Sample Rate (48 kHz). At the bottom, the text "Studio Technologies, Inc." is displayed with a green underline.

Model 5412-01 Audio Interface example Home menu webpage



# Model 5412-01 Audio Interface

ST-M5412-14b4ce

Identify Device

Home

**Analog Inputs**

Analog Outputs

Network

Access

System

Log Out

## Level Adjustments

Channel	Gain ( $\pm$ dB)
01	<input type="text" value="0.0"/>
02	<input type="text" value="0.0"/>
03	<input type="text" value="0.0"/>
04	<input type="text" value="0.0"/>
05	<input type="text" value="0.0"/>
06	<input type="text" value="0.0"/>
07	<input type="text" value="0.0"/>
08	<input type="text" value="0.0"/>

Submit

Dante Transmitters Source

Analog Inputs

Dante Transmitter 8 Source

Analog Input 8

Submit

[Studio Technologies, Inc.](#)

Model 5412-01 Audio Interface example Analog Inputs menu webpage



# Model 5412-01 Audio Interface

ST-M5412-14b4ce

Identify Device

Home

Analog Inputs

**Analog Outputs**

Network

Access

System

Log Out

## Level Adjustments

Channel	Gain (±dB)
01	<input type="text" value="0.0"/>
02	<input type="text" value="0.0"/>
03	<input type="text" value="0.0"/>
04	<input type="text" value="0.0"/>
05	<input type="text" value="0.0"/>
06	<input type="text" value="0.0"/>
07	<input type="text" value="0.0"/>
08	<input type="text" value="0.0"/>

Submit

Analog Outputs Source

Dante Receivers ▼

Submit

[Studio Technologies, Inc.](#)

Model 5412-01 Audio Interface example Analog Outputs menu webpage



# Model 5412-01 Audio Interface

ST-M5412-14b4ce

Identify Device

Home   Analog Inputs   Analog Outputs   **Network**   Access   System

Log Out

## Management Interface

MAC Address                      00-04-22-F6-00-D4

Current IP Address                192.168.1.141

IP Address Configuration       

Manual IP Address               

Subnet Mask                       

Gateway IP Address              

DNS IP Address                   

System must be rebooted for new network settings to take effect. Reboot causes cessation of audio for several seconds.

[Studio Technologies, Inc.](#)

Model 5412-01 Audio Interface example Network menu webpage



# Model 5412-01 Audio Interface

ST-M5412-14b4ce

Identify Device

Home

Analog Inputs

Analog Outputs

Network

**Access**

System

Log Out

Front Panel Control

View/Edit ▾

Submit

Management Login Credentials

User Name

guest

New Password

Confirm New Password

Default User Name is 'guest'; default  
Password is 'guest'.

Submit

[Studio Technologies, Inc.](#)

Model 5412-01 Audio Interface example Access menu webpage



# Model 5412-01 Audio Interface

ST-M5412-14b4ce

Identify Device

[Home](#)

[Analog Inputs](#)

[Analog Outputs](#)

[Network](#)

[Access](#)

**[System](#)**

Log Out

Serial Number 00213

## Version Information

	Version	Date
Main MCU	1.03	24 May 2021
Main FPGA	1.00	16 Dec 2018
Dante Product	4.2.0	15 Aug 2019
Dante Firmware	4.2.0.28	---

Restore Default Settings

Submit

[Studio Technologies, Inc.](#)

Model 5412-01 Audio Interface example System menu webpage